

Disinfecting hygiene powder



Documented quality hygiene

The scientific formulated powder is safe and easy to use and is designed to improve the animals surrounding environment by drying out and repressing noxious pathogens. Basic® hygiene powder reduces moisture and potentially noxious gases like ammonia. Use Basic® hygiene powder regularly to prevent disease, and to ensure a better environment for healthier animals.

- High quality at discount price
- Basic® has a documented effect
- Represses hatching conditions for flies
- Represses the growth of microorganisms
- Good absorption – strong drying out effect
- Does not lump in storage
- Good binder of ammonia
- Good for all kinds of animals and housing systems
- Improves the housing environment
- Reduces the smell of ammonia
- Freshens up the barn

Description:

Basic® hygiene powder is composed of carefully selected materials, including minerals, plant components and a disinfectant active substance. Basic® hygiene powder is used to improve sanitary conditions for all kinds of livestock and in all housing systems. Basic® can be applied manually, with machines or be mixed with other bedding before application.

Application areas:

Basic® hygiene powder is used for all kinds of animals and housing systems to dry out, decrease the pressure of infection and to improve the well-being of the animals.



Basic® has proven effective against:

- E-coli
- Salmonella Thyphimorium
- Streptococcus Suis Serovar 7
- Streptococcus Uberis
- Staphylococcus Aureus
- Klebsiella Pneumoniae
- Aspergillus Niger
- Clostridium Perfringens
- Camphylobactor Jejuni
- Dishelobactor Nodosus



www.destek.dk

Destek ApS

Orebovej 29

DK-4293 Dianalund

Phone: +45 3313 1125

Mail: info@destek.dk



Disinfecting hygiene powder



Instructions for use

Basic® hygiene powder - cubicles and tie stalls

Apply Basic® 2-3 times a week corresponding to 125 g (a large handful) per cubicle. Basic® can be used at the back of the lying area, as well as in the middle of it. Basic® is applied at the bottom of the lying area, as well as on the top of the common bedding to ensure a dry environment. Basic® can also be mixed with the common bedding before application. In case of problems with waste of milk or under especially moist conditions, at outbreak of disease or at a high pressure of infection, Basic® should be used daily, until the pressure of infection is back to normal. After that Basic® can again be applied 2-3 times a week.



Basic® has proven effective against:

- E-coli
- Salmonella Thyphimorium
- Streptococcus Suis Serovar 7
- Streptococcus Uberis
- Staphylococcus Aureus
- Klebsiella Pneumoniae
- Aspergillus Niger
- Clostridium Perfringens
- Camphylobactor Jejuni
- Dishelobactor Nodosus



Basic® hygiene powder - calf pens or calf hutches

Apply Basic® after mucking on the floor in an even layer corresponding to 75-100 g (a good handful) per m² and after that 2-3 times a week on top of the bedding with the same amount. The best results are reached by using Basic® continuously and in this way achieve a reduction of the pressure of infection. In case of an outbreak of diarrhoea etc. Basic® should be used daily, corresponding to 125 g (a large handful) per m² on top of the bedding.

Basic® hygiene powder - straw yards

Basic® should be used daily the first 4 days after thorough mucking according to 50-75 g per m² floor area (a handful) and later on regularly 2-3 times a week with the same amount. Basic® can beneficially be spread on the floor before the common bedding like straw is applied. After that Basic® is spread on top of the bedding, but it can also be mixed with the common bedding before application.



www.destek.dk

Destek ApS

Orebovej 29

DK-4293 Dianalund

Phone: +45 3313 1125

Mail: info@destek.dk

